

SAFETY DATA SHEET

GRAISSE EQUIPEMENT MARINE

Version:5





Review date:17/06/2021

RE EC/2016-918 - CLP 1272/2008

1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1. 1. Preparation name: GRAISSE EQUIPEMENT MARINE
1. 1. 1. Contains: • Hydrocarbures, C6 isoalcanes, <5% n-hexane
1. 1. 2. Product code nr: 481012
1. 1. 3. Other means of identification: UFI : 605Y-4C4N-V10U-Y3JF
1. 2. Details of the supplier of the safety data sheet: SELD
6 rue Jules Guesde – ZI du Pontet
F-69360 Saint Symphorien d'Ozon
France
Phone: +33 (0)4 37 25 16 16
Fax: +33 (0)4 78 21 80 70
E-mail: contact@seld-production.com
1. 3. Emergency telephone number: UK - National Poisons Information Service Phone: 44 / 191 22 5131
.
.
.
1. 4. Relevant identified uses of the substance or mixture and uses advised against: For more information, to consult the chart.

2. HAZARDS IDENTIFICATION

2. 1. Classification of the substance or mixture: * Flam. Aerosol 1 / GHS02 - H222 *
* Asp. Tox. 1 / GHS08 - H304 *
* Aquatic. Chronic 2 / GHS09 - H411 *
2. 2. Label elements:
-    
- Danger
2. 2. 1. Symbol(s) and signal word: .
2. 2. 2. Contains: • Hydrocarbures, C6 isoalcanes, <5% n-hexane
2. 2. 3. Hazard statement: H222 Extremely flammable aerosol.
H229 Pressurised container: May burst if heated.
H315 Causes skin irritation.
H304 May be fatal if swallowed and enters airways.
H411 Toxic to aquatic life with long lasting effects.
2. 2. 4. Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Do not pierce or burn, even after use.
P264 Wash hands thoroughly after handling.
P280 Wear protective gloves / protective clothing / eye protection / face protection.
P273 Avoid release to the environment.
2. 2. 5. Response: P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P321a Specific treatment (see item nr 4.3.).
P332+P313 If skin irritation occurs: Get medical advice / attention.
P362 Take off contaminated clothing.
P364 And wash it before reuse.
P301 IF SWALLOWED:
P310a Immediately call a POISON CENTER / doctor.
P331 Do NOT induce vomiting.
P391 Collect spillage.
2. 2. 6. Storage: P410 Protect from sunlight.
P412 Do not expose to temperatures exceeding 50 °C / 122°F.

SAFETY DATA SHEET

GRAISSE EQUIPEMENT MARINE

Version:5

Review date:17/06/2021

RE EC/2016-918 - CLP 1272/2008

2. 2. 7. Disposal:	P405 Store locked up. P501a Dispose of contents / container in accordance with local / regional / national / international regulation
2. 3. Most important hazards:	Case aerosol under pressure Aerosols
2. 4. Other hazards:	Frequent or prolonged contacts may defat and dry the skin, leading to discomfort and dermatitis. Extremely flammable.

3. COMPOSITION / INFORMATION ON INGREDIENTS

3. 1. Component(s) contributing to the hazard:	<ul style="list-style-type: none">Hydrocarbures, C6 isoalcanes, <5% n-hexane<ul style="list-style-type: none">CE nr: 931-254-9REACH registration number : 01-2119484651-34Conc. (weight %) :Conc. (% pds) : % 70 < C <= 80GHS (Globally Harmonized System)<ul style="list-style-type: none">* GHS02 * Liq. infl. 2 - H225* GHS07 * STOT un. 3 - H336 * STOT un. 3.* GHS08 * Tox. asp. 1 - H304 * Irr. cut. 2 - H315* GHS09 * Tox. aq. chron. 2 - H411Miscellaneous : LE50 / 48h / Daphnia magna = 31.9 mg/l DSEO-R(NOELR) / / Daphnia magna = 7.14 mg/l DSEO-R(NOELR) / / Oncorhynchus mykiss = 4.09 mg/l DSEO-R(NOELR) / 72h / Pseudokirchneriella subcapita = 3 mg/l LL50 / 96h / Oncorhynchus mykiss = 18.3 mg/l LD50 / Skin contact / 4h / Rabbit = >3350 mg/kg LD50 / Oral / Rat = > 16750 mg/kg LC50 / Inhalation (vapours) / 4h / Rat = 259354 mg/m3Dioxyde de carbone<ul style="list-style-type: none">CE nr: 204-696-9 - CAS nr: 124-38-9Conc. (weight %) :Conc. (% pds) : % 1 < C <= 5GHS (Globally Harmonized System)<ul style="list-style-type: none">* GHS04 - Gaz comprimés * Gaz ss pr. - H280Miscellaneous :Exposure limit values T.L.V. ppm = 5000 - T.L.V. mg/m³ = 9000 - S.T.E.L ppm = 30000 - S.T.E.L mg/m³ = 54000
	The wording of the sentences are mentioned at heading 16.

4. FIRST AID MEASURES

4. 1. Description of first aid measures:	
4. 1. 1. General advice:	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. For symptom description, see item 11.
4. 1. 2. Inhalation:	Remove to fresh air, keep the patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration. Give nothing by mouth. If unconscious, place in the recovery position and seek medical advice.
4. 1. 3. Skin contact:	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a proprietary skin cleaner.
4. 1. 4. Eye contact:	Contact lenses should be removed. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart, and seek medical advice.
4. 1. 5. Ingestion:	Rinse mouth, drink a lot of water, do not vomit, keep quiet, and go immediately to hospital or to a doctor.

SAFETY DATA SHEET

GRAISSE EQUIPEMENT MARINE

Version:5

Review date: 17/06/2021

RE EC/2016-918 - CLP 1272/2008

4. 2. Most important symptoms and effects, both acute and delayed:

- | | |
|--|--|
| 4. 2. 1. Inhalation: | narcotic effects |
| 4. 2. 2. Skin contact: | Repeated or prolonged contact with the product may lead to removal of natural fats from the skin resulting in non-allergic contact dermatitis and absorption through the skin. |
| 4. 2. 3. Eyes contact: | Splashes in the eyes may cause irritation and reversible local damage. |
| 4. 2. 4. Ingestion: | Alcohol ingestion increases toxic product effects. |
| 4. 3. Indication of any immediate medical attention and special treatment needed : | In all cases of doubt, or when symptoms persist, seek medical attention. |

5. FIREFIGHTING MEASURES

- | | |
|--|--|
| 5. 1. Extinguishing media: | alcohol-resistant foam, carbon dioxide (CO ₂), powder, water spray. |
| 5. 2. Special hazards arising from the substance or mixture: | Be careful of explosion risk.
Decomposition products may be a hazard to health. Appropriate self-contained breathing apparatus may be required.
Fire will produce dense black smoke. |
| 5. 3. Advice for firefighters: | none |
| 5. 4. Specific method(s): | Cool closed containers exposed to fire with water spray. |
| 5. 5. Extinguishing media which must NOT be used for safety reasons: | Do not use water jet. |

6. ACCIDENTAL RELEASE MEASURES

- | | |
|--|--|
| 6. 1. Personal precautions, protective equipment and emergency procedures: | Evacuate personnel to a safe area.
Exclude sources of ignition and ventilate the area. Exclude non-essential personnel. Avoid breathing vapours. Refer to protective measures listed in Sections 7 and 8. |
| 6. 2. Environmental precautions: | Prevent liquid from entering sewers, watercourses, underground or low areas. |
| 6. 3. Methods and material for containment and cleaning up: | Contain and collect spillages with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth
Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). |
| 6. 4. Reference to other sections: | Concerning personal protective equipment to use, see item 8.
Concerning disposal elimination after cleaning, see item 13. |

7. HANDLING AND STORAGE

- | | |
|--|--|
| 7. 1. Handling: | |
| 7. 1. 1. Precautions for safe handling: | Smoking, eating and drinking is prohibited in areas of storage and use.
Avoid contact with skin and eyes.
For personal protection, see Section 8.
The Manual Handling Operations Regulations may apply to the handling of containers of this product. Refer to the guide weight indicated on the container when carrying out assessments. |
| 7. 1. 2. Technical condition(s): | The product should only be used in areas from which all naked lights and other sources of ignition have been excluded.
Electrical equipment should be protected to the appropriate standard. |
| 7. 2. Storage: | |
| 7. 2. 1. Conditions for safe storage, including any incompatibilities: | No smoking. Prevent unauthorised access. |
| 7. 2. 2. Storage condition(s): | Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.
Store at temperatures between 5°C and 25°C |

SAFETY DATA SHEET

GRAISSE EQUIPEMENT MARINE

Version:5

Review date: 17/06/2021

RE EC/2016-918 - CLP 1272/2008

7. 2. 3. Separation of incompatible product(s):	Store separately from oxidising agents and strongly alkaline and strongly acidic materials.
7. 2. 4. Packaging / tank material:	made of the same material as the supply container.
7. 3. Specific end use(s):	None under normal use.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8. 1. Control parameters:

8. 1. 1. Exposure limit(s):	• Dioxyde de carbone : T.L.V. ppm = 5000 - T.L.V. mg/m ³ = 9000 - S.T.E.L ppm = 30000 - S.T.E.L mg/m ³ = 54000
-----------------------------	---

see item nr 2 - possibly

8. 2. Exposure controls:

8. 2. 1. Appropriate engineering controls:	Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and/or solvent vapours below the relevant occupational exposure limits, suitable respiratory protective equipment should be worn.
--	---

8. 2. 2. Eye protection:	Eye protection designed to protect against liquid splashes should be worn.
--------------------------	--

8. 2. 3. Respiratory protection:	In case of insufficient ventilation wear suitable respiratory equipment.
----------------------------------	--

8. 2. 4. Hand protection:	solvent-resistant gloves
---------------------------	--------------------------

8. 2. 5. Skin and body protection:	Wear suitable protective clothing
------------------------------------	-----------------------------------

8. 3. Environmental exposure controls:	????
--	------

9. PHYSICAL AND CHEMICAL PROPERTIES

9. 1. Information on basic physical and chemical properties:

9. 1. 1. Physical state:	aerosol: liquid + propellant gas no flammable
9. 1. 2. Colour:	light green
9. 1. 3. Odour:	pleasant
9. 1. 4. Melting point / freezing point:	No data available.
9. 1. 5. Boiling point or initial boiling point and boiling range:	Not determined.
9. 1. 6. Flammability:	No data available.
9. 1. 7. Lower and upper explosion limit:	0,6 -12 volume %
9. 1. 8. Flash point:	<0°C
9. 1. 9. Auto-ignition temperature:	No data available.
9. 1. 10. Decomposition temperature:	No data available.
9. 1. 11. PH:	7
9. 1. 12. Solubility:	No data available.
9. 1. 13. Water solubility:	partly miscible
9. 1. 14. Fat solubility:	completely soluble
9. 1. 15. Solvent solubility:	completely miscible
9. 1. 16. Partition coefficient n-octanol/water (log value):	No data available.

SAFETY DATA SHEET

GRAISSE EQUIPEMENT MARINE

Version:5

Review date: 17/06/2021

RE EC/2016-918 - CLP 1272/2008

9. 1. 17. Vapour pressure:	No data available.
9. 1. 18. Relative vapour density:	No data available.
9. 1. 19. Density and/or relative density:	0,684 g / cm ³
9. 1. 20. Particle characteristics:	No data available.
9. 1. 21. Kinematic viscosity:	Not determined.
9. 2. Other information:	

10. STABILITY AND REACTIVITY

10. 1. Reactivity:	No decomposition if stored and applied as directed.
10. 2. Chemical stability:	Stable under the recommended storage and handling conditions. (See Section 7).
10. 3. Possibility of hazardous reactions:	Not waited
10. 4. Conditions to avoid:	Avoid temperature above 30 °C
10. 5. Incompatible materials:	Keep away from oxidising agents and strongly alkaline and strongly acidic materials to prevent the possibility of exothermic reaction.
10. 6. Hazardous decomposition products:	Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide..

11. TOXICOLOGICAL INFORMATION

11. 1. Information on hazard classes as defined in Regulation (EC) No 1272/2008:	There is no data available on the product itself.
11. 1. 1. Inhalation:	see item nr 3
11. 1. 2. Skin contact:	see item nr 3
11. 1. 3. Eyes contact:	see item nr 3
11. 1. 4. Ingestion:	see item nr 3

12. ECOLOGICAL INFORMATION

12. 1. Toxicity:	Ecological problems are not known or expected under normal use.
12. 2. Persistence and degradability:	Product is practically not biodegradable. However the majority of the components of the new product are intrinsically biodegradable in the long term.
12. 3. Bioaccumulative potential:	None bioaccumulation.
12. 4. Mobility in soil:	The substance is a UVCB. The standard tests are not adapted for this parameter.
12. 5. Results of PBT and vPvB assessment:	This product is not a substance PBT or vPvB, or it does not contain.
12. 6. Endocrine disrupting properties:	????
12. 7. Other adverse effects:	No expected harmful effects.
12. 7. 1. Toxicity to fish:	WGK 1 (D)
12. 8. General information(s):	There is no data available on the product itself. The product should not be allowed to enter drains or water courses or be deposited where it can affect ground or surface waters.

SAFETY DATA SHEET

GRAISSE EQUIPEMENT MARINE

Version:5

Review date: 17/06/2021

RE EC/2016-918 - CLP 1272/2008

13. DISPOSAL CONSIDERATIONS

13. 1. Waste treatment methods: Do not allow into drains or water courses or dispose of where ground or surface waters may be affected.
Collect all waste in suitable and labelled containers and dispose according to local legislation.
13. 2. Contaminated packaging: Empty containers can be dumped according to local legislation.

14. TRANSPORT INFORMATION

14. 1. General information(s): Transport followed ADR, IMDG, IATA
14. 2. UN number or ID number: 1950
14. 2. 1. UN proper shipping name: AEROSOLS inflammable
14. 3. Land (Road / Railway: ADR/RID):
14. 3. 1. Transport hazard class(es): 2
14. 3. 2. ADR/RID-Labels: 2.1
14. 3. 3. Classification code: 5F
14. 3. 4. Packing instructions: P207
LP200
14. 3. 5. Tunnel restriction code: 2 (D)
14. 4. Sea (IMDG):
14. 4. 1. Class: 2
14. 4. 2. IMDG-Label(s): 2.1
14. 5. Air (ICAO/IATA):
14. 6. Environmental hazards: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
14. 7. Special precautions for user: see item nr 8
14. 8. Maritime transport in bulk according to IMO instruments: Not applicable.

15. REGULATORY INFORMATION

15. 1. Safety, health and environmental regulations/legislation specific for the substance or mixture: Payment 1907/2006 concerning the recording, the evaluation and the authorization of chemical substances, as well as the restrictions applicable to these substances.... as modified.
15. 2. Chemical safety assessment: Not applicable.

16. OTHER INFORMATION

16. 1. Text of the phrases listed in section 3:
- H280 Contains gas under pressure; may explode if heated.
H225 Highly flammable liquid and vapour.
H336 May cause drowsiness or dizziness.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H411 Toxic to aquatic life with long lasting effects.
16. 2. Important remarks:
- As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with.
The user is always responsible for ensuring that the requirements of relevant legislation are complied with.
The information contained in this safety data sheet is based on the present state of knowledge and current national legislation it provides guidance on health safety and environmental

SAFETY DATA SHEET

GRAISSE EQUIPEMENT MARINE

Version:5

Review date:17/06/2021

RE EC/2016-918 - CLP 1272/2008

aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.

16. 3. Restrictions:

This information relates to the specific material designated and may not be valid in combination with other product(s).

16. 4. History:

16. 4. 1. First edition date: 22/02/2005

16. 4. 2. Previous revision date: 28/11/2019

16. 4. 3. Review date: 17/06/2021

16. 4. 4. Version: 5

16. 4. 5. Review chapter(s) n°: 9

16. 5. Written by: SELD